



SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 1

Erstellungsdatum: 01/08/2019

Revisionsnummer: 3 Datum 18/03/2020

Abschnitt 1: Bezeichnung des Stoffs bzw. des Gemischs und des Unternehmens

1.1. Produktidentifikator

Produktbezeichnung: AD 43 ROKET HOT

Registrierte Nr. REACH: 01-2119527766-29-XXXX

1.2. Relevante identifizierte Verwendungen des Stoffs oder Gemischs und Verwendungen, von denen abgeraten wird

Verwendung des Produkts: PC1: Klebstoffe, Dichtstoffe.

1.3. Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt

Firmenname: Deluxe Materials Ltd,
Unit 13
Cufaude Business Park, Cufaude Lane
Bramley
Hampshire
RG26 5DL
United Kingdom
Tel: +44 (0)1256 883 944
Email: john@deluxematerials.com

1.4. Notrufnummer

Notfalltelefon: +44 (0)1256 883 944
(nur zu normalen Geschäftszeiten)

Abschnitt 2: Mögliche Gefahren

2.1. Einstufung des Stoffs oder Gemischs

Einstufung (CLP): STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH202

Wichtigste schädliche Wirkungen: Verursacht Hautreizungen. Verursacht schwere Augenreizung. Kann die Atemwege reizen. Cyanacrylat. Gefahr. Klebt innerhalb von Sekunden Haut und Augenlider zusammen. Darf nicht in die Hände von Kindern gelangen.

2.2. Kennzeichnungselemente

Kennzeichnungselemente:

Gefahrenhinweise: H315: Verursacht Hautreizungen.

H319: Verursacht schwere Augenreizung.

H335: Kann die Atemwege reizen.

EUH202: Cyanacrylat. Gefahr. Klebt innerhalb von Sekunden Haut und Augenlider zusammen. Darf nicht in die Hände von Kindern gelangen.

Gefahrenpiktogramme: GHS07: Ausrufezeichen

[Fort.]

SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 2



Signalwörter: Achtung

Sicherheitshinweise: P280: Schutzhandschuhe/Schutzkleidung/Augenschutz/Gesichtsschutz tragen.
P302+P352: BEI BERÜHRUNG MIT DER HAUT: Mit viel Wasser waschen.
P304+P340: BEI EINATMEN: Die Person an die frische Luft bringen und für ungehinderte Atmung sorgen.
P305+P351+P338: BEI KONTAKT MIT DEN AUGEN: Einige Minuten lang behutsam mit Wasser spülen. Eventuell vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter spülen.
P321: Sonderbehandlung (siehe ergänzende Erste-Hilfe-Anweisungen auf diesem Etikett)
P362+P364: Kontaminierte Kleidung ausziehen und vor erneutem Tragen waschen.

2.3. Sonstige Gefahren

PBT: Dieser Stoff wird nicht als PBT/vPvB-Stoff identifiziert.

Abschnitt 3: Zusammensetzung/Angaben zu Bestandteilen

3.2. Gemische

Gefährliche Bestandteile:

ETHYL-2-CYANACRYLAT

EINECS	CAS	PBT / WEL	Einstufung (CLP)	Prozent
230-391-5	7085-85-0	-	Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315	>90%

Nicht eingestufte Bestandteile:

1,4-DIHYDROXYBENZOL

EINECS	CAS	PBT / WEL	Einstufung (CLP)	Prozent
204-617-8	123-31-9	-	Carc. 2: H351; Muta. 2: H341; Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400	<1%

Abschnitt 4: Erste-Hilfe-Maßnahmen

4.1. Beschreibung der Erste-Hilfe-Maßnahmen

Hautkontakt: Sofort mit viel Wasser und Seife abwaschen.

Augenkontakt: Auge 15 Minuten unter fließendem Wasser ausspülen. Überweisung in ein Krankenhaus zur Untersuchung durch einen Facharzt.

Verschlucken: Mund mit Wasser ausspülen.

Einatmen: Nicht zutreffend.

[Fort.]

SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 3

4.2. Wichtigste akute und verzögert auftretende Symptome und Wirkungen

Hautkontakt: Mögliche Reizung und Rötung im Kontaktbereich.

Augenkontakt: Mögliche Schmerzen und Rötung können auftreten. Kann übermäßigen Tränenfluß bewirken. Heftige Schmerzen können auftreten. Sehvermögen kann getrübt werden. Kann dauerhafte Schäden verursachen.

Verschlucken: Mögliche Wundheit und Rötung von Mund und Rachen. Brechreiz und Magenschmerzen können auftreten.

Einatmen: Möglicher Hustenreiz mit Brustbeklemmung.

Verzögert auftretende Wirkungen: Mit sofort auftretenden Wirkungen ist nach kurzer Exposition zu rechnen.

4.3. Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung

Sofort- / Sonderbehandlung: An Ort und Stelle sollte eine Einrichtung zum Augenbaden zur Verfügung stehen.

Abschnitt 5: Maßnahmen zur Brandbekämpfung

5.1. Löschmittel

Löschmittel: Löschmaßnahmen auf Umgebungsbrand abstimmen. Behälter mit Sprühwasser kühlen.

5.2. Besondere vom Stoff oder Gemisch ausgehende Gefahren

Expositionsrisiko: Setzt bei Verbrennung giftige Gase / Rauche frei.

5.3. Hinweise für die Brandbekämpfung

Besondere Schutzausrüstung: Umluftunabhängige Atemschutzgeräte benutzen. Zur Verhütung von Augen- oder Hautkontakt Schutzkleidung tragen.

Abschnitt 6: Maßnahmen bei unbeabsichtigter Freisetzung

6.1. Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren

Pers. Schutzmaßnahmen: Kontaminierten Bereich mit Beschilderung abgrenzen und Zutritt von Unbefugten verhindern. Maßnahmen nur mit geeigneter Schutzkleidung ergreifen - siehe Abschnitt 8 des Sicherheitsdatenblatts. Um Auslaufen zu verhindern, leckende Behälter so stellen, daß das Leck oben ist.

6.2. Umweltschutzmaßnahmen

Umweltschutzmaßnahmen: Nicht in die Kanalisation oder Gewässer ableiten. Verschüttungen eindämmen.

6.3. Methoden und Material für Rückhaltung und Reinigung

Reinigungsmethoden: Mit trockener Erde oder mit Sand aufnehmen. In einen verschleißbaren und ordnungsgemäß beschrifteten Bergungsbehälter zur fachgemäßen Entsorgung umladen.

6.4. Verweis auf andere Abschnitte

Verweis auf andere Abschnitte: Siehe Abschnitt 8 des Sicherheitsdatenblatts.

[Fort.]

SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 4

Abschnitt 7: Handhabung und Lagerung

7.1. Schutzmaßnahmen zur sicheren Handhabung

Hinweise zum sich. Umgang: Direkten Kontakt mit der Substanz vermeiden. Ausreichende Belüftung sicherstellen.
Nebelbildung und -verbreitung in der Luft vermeiden.

7.2. Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten

Lagerung: Kühl und gut belüftet lagern. Behälter dicht geschlossen halten.

Geeignete Verpackung: Polyethylen.

7.3. Spezifische Endanwendungen

Spezifische Endanwendungen PC1: Klebstoffe, Dichtstoffe.

Abschnitt 8: Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen

8.1. Zu überwachende Parameter

Expositionsgrenzwerte: Nicht verfügbar.

DNEL/PNEC

DNEL / PNEC Nicht verfügbar.

8.2. Begrenzung und Überwachung der Exposition

Technische Maßnahmen: Für ausreichende Belüftung sorgen.

Atemschutz: Umluftunabhängige Atemschutzgeräte müssen für Notfälle verfügbar sein.

Handschutz: Schutzhandschuhe.

Augenschutz: Dicht schließende Schutzbrille. Augendusche vorsehen.

Hautschutz: Schutzkleidung.

Abschnitt 9: Physikalische und chemische Eigenschaften

9.1. Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften

Form: Flüssigkeit

Farbe: Farblos

Geruch: Charakteristischer Geruch

Verdunstungszahl: Nicht verfügbar.

Brandfördernd: Nicht verfügbar.

Löslichkeit in Wasser: Reagiert mit Wasser.

Auch löslich in: Aceton.

Viskosität: Nicht viskos

Viskosität, Wert: 2-5

Viskosität, Testmethode: Cone and Plate (25°C)

Siedepunkt / -bereich °C: >149

Schmelzpunkt / -bereich °C: Nicht verfügbar.

Explosionsgrenzen %: untere: Nicht verfügbar.

obere: Nicht verfügbar.

Flammpunkt °C: 80-93.4

Vert. koeff: n-Octanol/Wasser: Nicht verfügbar.

Zündtemperatur °C: 450

[Fort.]

SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 5

Relative Dichte: 1.05

VOC g/l: <20

Dampfdruck: <700 mbar

pH: Nicht zutreffend.

9.2. Sonstige AngabenDE

Zusätzliche Angaben: Nicht verfügbar.

Abschnitt 10: Stabilität und Reaktivität

10.1. Reaktivität

Reaktivität Stabil unter empfohlenen Transport- bzw. Lagerbedingungen.

10.2. Chemische Stabilität

Stabilität: Stabil unter Normalbedingungen.

10.3. Möglichkeit gefährlicher Reaktionen

Gefährlicher Reaktionen: Bei normalen Transport- bzw. Lagerbedingungen treten keine gefährlichen Reaktionen auf. Bei Exposition an nachstehend aufgeführte Bedingungen bzw. Materialien kommt es womöglich zu Zersetzung.

10.4. Zu vermeidende Bedingungen

Zu vermeidende Bedingungen: Hitze.

10.5. Unverträgliche Materialien

Zu vermeidende Stoffe: Starke Oxidationsmittel. Starke Säuren.

10.6. Gefährliche Zersetzungsprodukte

Gefährliche Zersetzungsprod: Setzt bei Verbrennung giftige Gase / Rauche frei.

Abschnitt 11: Toxikologische Angaben

11.1. Angaben zu toxikologischen Wirkungen

Toxizität, Werte:

Route	Art	Test	Wert	Maßeinheit
ORAL	RAT	LD50	>5000	mg/kg
DERMAL	RBT	LD50	>2000	mg/kg

Gefährliche Bestandteile:

ETHYL-2-CYANACRYLAT

ORL	RAT	LD50	>5	ml/kg
-----	-----	------	----	-------

[Fort.]

SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 6

Nicht eingestufte Bestandteile:

1,4-DIHYDROXYBENZOL

ORL	MUS	LD50	150	mg/kg
ORL	RAT	LD50	720	mg/kg
SCU	RAT	LDLO	300	mg/kg

Für das Produkt relevante Gefahren:

Gefahr	Route	Basis
Ätz-/Reizwirkung auf die Haut	DRM	Gefährlich: Berechnet
Schwere Augenschädigung/-reizung	OPT	Gefährlich: Berechnet
Spezifische Zielorgan-Toxizität bei einmaliger Exposition	INH	Gefährlich: Berechnet

Symptome / Aufnahmewege

Hautkontakt: Mögliche Reizung und Rötung im Kontaktbereich.

Augenkontakt: Mögliche Schmerzen und Rötung können auftreten. Kann übermäßigen Tränenfluß bewirken. Heftige Schmerzen können auftreten. Sehvermögen kann getrübt werden. Kann dauerhafte Schäden verursachen.

Verschlucken: Mögliche Wundheit und Rötung von Mund und Rachen. Brechreiz und Magenschmerzen können auftreten.

Einatmen: Möglicher Hustenreiz mit Brustbeklemmung.

Verzögert auftretende Wirkungen: Mit sofort auftretenden Wirkungen ist nach kurzer Exposition zu rechnen.

Abschnitt 12: Umweltbezogene Angaben

12.1. Toxizität

Ökotoxizität, Werte: Nicht verfügbar.

12.2. Persistenz und Abbaubarkeit

Persistenz und Abbaubarkeit: Biologisch abbaubar.

12.3. Bioakkumulationspotenzial

Bioakkumulationspotenzial: Kein Bioakkumulationspotential.

12.4. Mobilität im Boden

Mobilität: Wird leicht im Erdboden absorbiert.

12.5. Ergebnisse der PBT- und vPvB-Beurteilung

PBT Identifizierung: Dieser Stoff wird nicht als PBT/vPvB-Stoff identifiziert.

12.6. Andere schädliche Wirkungen

Andere schädliche Wirkungen: Geringe Ökotoxizität.

[Fort.]

SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 7

Abschnitt 13: Hinweise zur Entsorgung

13.1. Verfahren zur Abfallbehandlung

Beseitigungsverfahren: In einen geeigneten Behälter umfüllen und zur Entsorgung durch spezialisiertes Entsorgungsunternehmen abholen lassen.

Abfallschlüssel Nr: 08 04 09

Anmerkung: Der Anwender wird darauf hingewiesen, daß zusätzliche ergänzende örtliche oder nationale Vorschriften für die Entsorgung bestehen können.

Abschnitt 14: Angaben zum Transport

14.1. UN-Nummer

UN-Nummer: UN3334

14.2. Ordnungsgemäße UN-Versandbezeichnung

Korr. Bezeichn. des Gutes: AVIATION REGULATED LIQUID, N.O.S.
(ETHYL-2-CYANOACRYLATE)

14.3. Transportgefahrenklassen

Transportklasse: 9

14.4. Verpackungsgruppe

Verpackungsgruppe: III

14.5. Umweltgefahren

Umweltgefährlich Nein

Meeresschadstoff: Nein

14.6. Besondere Vorsichtsmaßnahmen für den Verwender

Bes. Vorsichtsmaßnahmen: Keine besonderen Vorsichtsmaßnahmen.

Abschnitt 15: Rechtsvorschriften

15.1. Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften

Besondere Vorschriften Nicht zutreffend.

15.2. Stoffsicherheitsbeurteilung

Stoffsicherheitsbeurteilung Für den Stoff bzw. das Gemisch wurde vom Zulieferer keine chemische Sicherheitsbewertung durchgeführt.

Abschnitt 16: Sonstige Angaben

Sonstige Angaben

Zusätzliche Angaben: entspricht der Verordnung (EG) Nr. 1907/2006 (REACH) einschließlich Änderungsverordnung (EU) 2015/830
* gibt Text im SDB an, der sich seit der letzten Revision geändert hat.

Sätze aus Abschnitt 2 and 3: EUH202: Cyanacrylat. Gefahr. Klebt innerhalb von Sekunden Haut und Augenlider zusammen. Darf nicht in die Hände von Kindern gelangen.

[Fort.]

SICHERHEITSDATENBLATT

AD43 ROKET HOT

Seite: 8

H302: Gesundheitsschädlich bei Verschlucken.

H315: Verursacht Hautreizungen.

H317: Kann allergische Hautreaktionen verursachen.

H318: Verursacht schwere Augenschäden.

H319: Verursacht schwere Augenreizung.

H335: Kann die Atemwege reizen.

H341: Kann vermutlich genetische Defekte verursachen ({{{0}}|

message=<Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>||filter=(_)?EXP_ROUTE_.+}}}).

H351: Kann vermutlich Krebs erzeugen ({{{0}}|message=<Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>||filter=(_)?EXP_ROUTE_.+}}}).

H400: Sehr giftig für Wasserorganismen.

Haftungsausschlußklausel: Die obige Information ist nach unserem besten Wissen korrekt; es wird jedoch nicht behauptet, daß diese vollständig ist, und sie darf daher nur als Richtlinie betrachtet werden. Die Firma kann nicht für irgendwelche Schäden, die durch den Umgang oder Kontakt mit dem obigen Produkt entstanden sind, verantwortlich gemacht werden.

SAFETY DATA SHEET: AD43 ROKET HOT

REVISION DATE: 22/5/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: AD43 ROKET HOT**REACH registered name:** ETHYL 2-CYANOACRYLATE**REACH registered number(s):** 01-2119527766-29-XXXX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: Deluxe Materials Ltd
Unit 13
Cufaude Business Park
Cufaude Lane
Bramley
Hants
RG26 5DL
United Kingdom

Tel: +44 (0) 1256 883944**Fax:** +44 (0) 1256 883966**Email:** info@deluxemmaterials.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1256 883944
(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R36/37/38**Classification under CLP:** STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH202**Most important adverse effects:** Irritating to eyes, respiratory system and skin.

2.2. Label elements

Label elements under CLP:**Hazard statements:** H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Signal words: Warning

SAFETY DATA SHEET

AD43 ROKET HOT

Page: 2

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312: Call a POISON CENTER or doctor if you feel unwell.

Label elements under CHIP:

Hazard symbols: Irritant.



Risk phrases: R36/37/38: Irritating to eyes, respiratory system and skin.

Safety phrases: S2: Keep out of the reach of children.

S46: If swallowed, seek medical advice immediately and show this container or label.

Precautionary phrases: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
230-391-5	7085-85-0	Xi: R36/37/38	Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315	>90%

Non-classified ingredients:

HYDROQUINONE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
--------	-----	---------------------	--------------------	---------

[cont...]

SAFETY DATA SHEET

AD43 ROKET HOT

Page: 3

204-617-8	123-31-9	Xn: R40; Xn: R68; Xn: R22; Xi: R41; Sens.: R43; N: R50	Carc. 2: H351; Muta. 2: H341; Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400	<1%
-----------	----------	--	---	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

[cont...]

SAFETY DATA SHEET
AD43 ROKET HOT

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Avoid contact with water or humidity.

Suitable packaging: Polyethylene.

7.3. Specific end use(s)

Specific end use(s): PC1: Adhesives, sealants.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	1.5 mg/m3	-	-

DNEL/PNEC Values

MXBON 102

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	9.25 mg/m3	Workers	Local
DNEL	Inhalation	9.25 mg/m3	Workers	Systemic
DNEL	Inhalation	9.25 mg/m3	General Population	Local
DNEL	Inhalation	9.25 mg/m3	General Population	Local

[cont...]

SAFETY DATA SHEET

AD43 ROKET HOT

Page: 5

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protective device with particle filter. Gas/vapour filter, type A: organic vapours (EN141).

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Reacts with water.

Also soluble in: Acetone.

Viscosity: Non-viscous

Kinematic viscosity: 2-5

Viscosity test method: Cone and Plate @ 25°C (CPs)

Boiling point/range°C: >149

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: 80-93.4

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: 450

Vapour pressure: <700 mbar

Relative density: 1.05

pH: Not applicable.

VOC g/l: <20

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET

AD43 ROKET HOT

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Moist air. Heat.

10.5. Incompatible materials

Materials to avoid: Water. Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

ORL	RAT	LD50	>5	ml/kg
-----	-----	------	----	-------

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT INH DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

[cont...]

SAFETY DATA SHEET

AD43 ROKET HOT

Page: 7

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 08 04 09

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3334

14.2. UN proper shipping name

ONLY IF QUANTITY EXCEEDS 500ML PER INNER

Shipping name: AVIATION REGULATED LIQUID, N.O.S.
(ETHYL-2-CYANOACRYLATE)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

[cont...]

SAFETY DATA SHEET

AD43 ROKET HOT

Page: 8

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H341: Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

R22: Harmful if swallowed.

R36/37/38: Irritating to eyes, respiratory system and skin.

R40: Limited evidence of a carcinogenic effect.

R41: Risk of serious damage to eyes.

R43: May cause sensitisation by skin contact.

R50: Very toxic to aquatic organisms.

R68: Possible risk of irreversible effects.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

[cont...]

SAFETY DATA SHEET
AD43 ROKET HOT

Page: 9

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.