

**ABSCHNITT 1: BEZEICHNUNG DES STOFFS BEZIEHUNGSWEISE DES GEMISCHS UND DES UNTERNEHMENS**

- 1.1 Produktidentifikator:** MATT POLYURETHANE VARNISH - BARNIZ POLIURETANO MATE  
**Andere Bezeichnungen:**  
 Nicht relevant
- 1.2 Relevante identifizierte Verwendungen des Stoffs oder Gemischs und Verwendungen, von denen abgeraten wird:**  
 Relevante identifizierte Verwendungen: Lack  
 Verwendungen, von denen abgeraten wird: Jeder dieser unbestimmten Gebrauche wird weder in diesem Abschnitt noch in Abschnitt 7.3 angegeben
- 1.3 Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt:**  
 ACRYLICOS VALLEJO, S.L.  
 Pol. Ind. Sant Jordi - C/ Eusebio Millán, 14  
 08800 Vilanova i La Geltrú - Barcelona - Spain  
 Tel.: +34938936012 - Fax: +34938931154  
 vallejo@acrylicosvallejo.com  
 www.acrylicosvallejo.com
- 1.4 Notrufnummer:** +34 938 936 012 (9:00 - 17:00)


**ABSCHNITT 2: MÖGLICHE GEFAHREN \*\***

- 2.1 Einstufung des Stoffs oder Gemischs:**  
**Verordnung Nr. 1272/2008 (CLP):**  
 Gemäß Verordnung Nr. 1272/2008 (CLP) wird dieses Produkt nicht als gefährlich eingestuft.
- 2.2 Kennzeichnungselemente:**  
**Verordnung Nr. 1272/2008 (CLP):**  
**Gefahrenhinweise:**  
 Nicht relevant  
**Sicherheitshinweise:**  
 Nicht relevant  
**Zusätzliche Information:**  
 EUH208: Enthält 1,2-Benzisothiazol-3(2H)-on, Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1). Kann allergische Reaktionen hervorrufen.
- 2.3 Sonstige Gefahren:**  
 Das Produkt erfüllt nicht die PBT-/ vPvB-Kriterien.  
 Das Produkt erfüllt nicht die Kriterien bezüglich seiner endokrin wirkenden Eigenschaften.

\*\* Änderungen unter Berücksichtigung der vorherigen Version

**ABSCHNITT 3: ZUSAMMENSETZUNG/ANGABEN ZU BESTANDTEILEN \*\***

- 3.1 Stoffe:**  
 Nicht zutreffend
- 3.2 Gemische:**  
**Chemische Beschreibung:** Wässrige Mischung auf der Basis von Zusatzstoffen und Harzen  
**Gefährliche Bestandteile:**  
 Gemäß Anhang II der Verordnung (EG) Nr. 1907/2006 (Punkt 3) enthält das Produkt:

Identifizierung	Chemische Bezeichnung/Klassifizierung		Konzentration
CAS: 90093-37-1 EC: Nicht zutreffend Index: Nicht zutreffend REACH: Nicht zutreffend	2,4,6-Tris(1-phenylethyl) polyoxyethylenierte Phosphate <sup>(1)</sup> Selbsteingestuft		1 - <2,5 % 
	Verordnung 1272/2008	Eye Irrit. 2: H319 - Achtung	

<sup>(1)</sup> Stoff, der ein Risiko für die Gesundheit oder die Umwelt darstellt, der die Kriterien gemäß der Verordnung (EU) Nr. 2020/878 erfüllt

\*\* Änderungen unter Berücksichtigung der vorherigen Version

- FORTSETZUNG AUF DER NÄCHSTEN SEITE -

**ABSCHNITT 3: ZUSAMMENSETZUNG/ANGABEN ZU BESTANDTEILEN \*\* (fortlaufend)**

Identifizierung	Chemische Bezeichnung/Klassifizierung	Konzentration
CAS: 2634-33-5 EC: 220-120-9 Index: 613-088-00-6 REACH: 01-2120761540-60-XXXX	<b>1,2-Benzisothiazol-3(2H)-on<sup>(1)</sup></b> ATP CLP00 Verordnung 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Gefahr	<1 %
CAS: 55965-84-9 EC: Nicht zutreffend Index: 613-167-00-5 REACH: Nicht zutreffend	<b>Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1)<sup>(1)</sup></b> ATP ATP13 Verordnung 1272/2008 Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Gefahr	<1 %

<sup>(1)</sup> Stoff, der ein Risiko für die Gesundheit oder die Umwelt darstellt, der die Kriterien gemäß der Verordnung (EU) Nr. 2020/878 erfüllt

Weitere Informationen bzgl. der Gefährlichkeit der Substanzen finden Sie in den Abschnitten 11, 12 und 16.

**Sonstige Angaben:**

Identifizierung	M-Faktor	
	Akute	100
Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1) CAS: 55965-84-9 EC: Nicht zutreffend	Chronisch	100

Identifizierung	Spezifischer Konzentrationsgrenzwert
1,2-Benzisothiazol-3(2H)-on CAS: 2634-33-5 EC: 220-120-9	% (Gew./Gew.) >=0,05: Skin Sens. 1 - H317
Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1) CAS: 55965-84-9 EC: Nicht zutreffend	% (Gew./Gew.) >=0,6: Skin Corr. 1C - H314 0,06<= % (Gew./Gew.) <0,6: Skin Irrit. 2 - H315 % (Gew./Gew.) >=0,6: Eye Dam. 1 - H318 0,06<= % (Gew./Gew.) <0,6: Eye Irrit. 2 - H319 % (Gew./Gew.) >=0,0015: Skin Sens. 1A - H317

\*\* Änderungen unter Berücksichtigung der vorherigen Version

**ABSCHNITT 4: ERSTE-HILFE-MAßNAHMEN**

**4.1 Beschreibung der Erste-Hilfe-Maßnahmen:**

Vergiftungssymptome können nach dem Kontakt auftreten, weshalb im Zweifelsfalle bei direktem Kontakt mit dem chemischen Produkt oder Weiterbestehen des Unwohlseins ein Arzt zu Rate zu ziehen ist und dem Arzt das Sicherheitsdatenblatt dieses Produkts vorzulegen ist.

**Bei Einatmung:**

Es handelt sich um ein Produkt, das nicht als durch Einatmung gefährlich eingestuft ist. Dennoch wird empfohlen, bei Vergiftungssymptomen den Betroffenen vom Aussetzungsort zu entfernen, mit sauberer Luft zu versorgen und in Ruhestellung zu halten. Falls die Symptome andauern, ärztliche Hilfe anfordern.

**Bei Berührung mit der Haut:**

Es handelt sich um ein Produkt, das nicht als bei Berührung mit der Haut gefährlich eingestuft ist. Dennoch wird empfohlen, bei Berührung mit der Haut die verschmutzte Kleidung und Schuhe auszuziehen, die Haut abzuspülen oder den Betroffenen ggf. mit viel kaltem Wasser und Neutralseife abzduschen. In schweren Fällen den Arzt aufsuchen.

**Bei Berührung mit den Augen:**

Augen mindestens 15 Minuten lang mit reichlich Wasser spülen. Sollte der Betroffene Kontaktlinsen tragen, so sind diese zu entfernen, soweit sie nicht an den Augen festkleben, da ansonsten zusätzliche Verletzungen auftreten können. In allen Fällen muss nach dem Waschen schnellstmöglich ein Arzt aufgesucht und diesem das Sicherheitsdatenblatt vorgelegt werden.

**Durch Verschlucken/Einatmen:**

Kein Erbrechen provozieren. Sollte es zum Erbrechen kommen, den Kopf nach vorn halten, um ein Einatmen zu vermeiden. Den Betroffenen in Ruhestellung halten. Mund und Rachen ausspülen, da diese möglicherweise beim Verschlucken mit betroffen wurden.

**4.2 Wichtigste akute und verzögert auftretende Symptome und Wirkungen:**

Die sofortigen und verzögerten Wirkungen sind in den Abschnitten 2 und 11 angegeben.

**4.3 Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung:**

Nicht relevant

**ABSCHNITT 5: MAßNAHMEN ZUR BRANDBEKÄMPFUNG**

- FORTSETZUNG AUF DER NÄCHSTEN SEITE -

## ABSCHNITT 5: MAßNAHMEN ZUR BRANDBEKÄMPFUNG (fortlaufend)

### 5.1 Löschmittel:

#### Geeignete Löschmittel:

Produkt ist unter normalen Lager-, Handhabungs- und Anwendungsbedingungen nicht entflammbar. Im Entflammungsfall aufgrund von unsachgemäßer Handhabung, Lagerung oder Anwendung sind gemäß der Verordnung über Brandschutzinstallationen vorzugsweise Feuerlöscher mit polyvalentem Pulver (ABC-Pulver) zu verwenden.

#### Ungeeignete Löschmittel:

Nicht relevant

### 5.2 Besondere vom Stoff oder Gemisch ausgehende Gefahren:

Als Folge der Verbrennung oder thermischen Zersetzung entstehen reaktive Unterprodukte, die hochgiftig sind und deshalb ein hohes Gesundheitsrisiko darstellen können.

### 5.3 Hinweise für die Brandbekämpfung:

Abhängig von der Größe des Feuers ist ggf. die Verwendung von vollständiger Schutzbekleidung und autonomen Atmungsgeräten erforderlich. Es sollte ein Mindestbestand an Notfalleinrichtungen oder Ausrüstung (feuerfeste Decken, tragbarer Verbandskasten, ...) gemäß der Richtlinie 89/654/EG vorhanden sein.

#### Zusätzliche Hinweise:

Gemäß dem internen Notfallplan und den Informationsblättern bzgl. des Verhaltens bei Unfällen und sonstigen Notfällen vorgehen. Jegliche Zündquellen fernhalten. Im Brandfalle die Lagerbehälter und -tanks der Produkte kühlen, die sich entflammen oder explodieren können oder aufgrund von erhöhten Temperaturen BLEVE-gefährdet sind. Der Austritt der bei der Brandbekämpfung verwendeten Produkte in das Grundwasser ist zu vermeiden.

## ABSCHNITT 6: MAßNAHMEN BEI UNBEABSICHTIGTER FREISETZUNG

### 6.1 Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren:

#### Nicht für Notfälle geschultes Personal:

Lecks isolieren, soweit dies kein zusätzliches Risiko für die damit befassten Personen darstellt. Angesichts eines möglichen Kontakts mit dem verschütteten Produkt ist die Verwendung von persönlichen Schutzelementen obligatorisch (siehe Abschnitt 8). Bereich evakuieren und Personen ohne Schutzausrüstung fernhalten.

#### Einsatzkräfte:

Schutzausrüstung tragen. Ungeschützte Personen fernhalten. Siehe Abschnitt 8.

### 6.2 Umweltschutzmaßnahmen:

Den Austritt in das Grundwasser vermeiden, da das Produkt schädliche Substanzen enthält. Absorbiertes Produkt in versiegelbaren Behältern aufbewahren. Im Falle eines großen Austritts in das Wasser sind die zuständigen Behörden zu informieren.

### 6.3 Methoden und Material für Rückhaltung und Reinigung:

Es wird empfohlen:

Ausgetretenes Produkt mittels Sand oder neutralem Absorptionsmaterial aufsaugen und an einen sicheren Ort bringen. Nicht mit Sägemehl oder sonstigen brennbaren Absorptionsmitteln aufsaugen. Für jegliche Hinweise bzgl. der Entsorgung, siehe Abschnitt 13.

### 6.4 Verweis auf andere Abschnitte:

Siehe Abschnitte 8 und 13.

## ABSCHNITT 7: HANDHABUNG UND LAGERUNG

### 7.1 Schutzmaßnahmen zur sicheren Handhabung:

A.- Vorsichtsmaßnahmen für eine sichere Handhabung

Hinsichtlich der Handhabung von Ladungen ist die gültige Gesetzgebung zur Prävention von industriellen Risiken einzuhalten. Ordnung und Sauberkeit beibehalten und die Entsorgung mit sicheren Methoden ausführen (Abschnitt 6).

B.- Technische Empfehlungen zur Vorbeugung von Bränden und Explosionen.

Produkt ist nicht entflammbar unter normalen Lager-, Handhabungs- und Anwendungsbedingungen. Es wird eine langsame Umfüllung empfohlen, um das Entstehen von elektrostatischen Ladungen zu vermeiden, die Auswirkungen auf entflammbare Produkte haben könnten. Für Informationen zu Bedingungen und Materialien, die zu vermeiden sind, siehe Abschnitt 10.

C.- Technische Empfehlungen zur Vorbeugung von ergonomischen und toxikologischen Risiken.

Während der Handhabung nicht essen oder trinken, danach die Hände mit geeigneten Reinigungsmitteln waschen.

- FORTSETZUNG AUF DER NÄCHSTEN SEITE -

## ABSCHNITT 7: HANDHABUNG UND LAGERUNG (fortlaufend)

D.- Technische Empfehlungen zur Vorbeugung von Umweltrisiken

Es wird empfohlen, in unmittelbarer Nähe des Produkts über Absorptionsmaterial zu verfügen (siehe Abschnitt 6.3)

### 7.2 Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten:

A.- Technische Lagermaßnahmen

Mindesttemperatur: 10 °C

Höchsttemperatur: 40 °C

Maximale Zeit: 36 Monate

B.- Allgemeine Lagerbedingungen.

Wärmequellen, Strahlung, statische Elektrizität und der Kontakt mit Lebensmitteln sind zu vermeiden. Weitere Informationen, siehe Abschnitt 10.5

### 7.3 Spezifische Endanwendungen:

Mit Ausnahme der bereits aufgeführten Anweisungen sind keine besonderen Empfehlungen hinsichtlich der Verwendung dieses Produkts erforderlich.

## ABSCHNITT 8: BEGRENZUNG UND ÜBERWACHUNG DER EXPOSITION/PERSÖNLICHE SCHUTZAUSRÜSTUNGEN

### 8.1 Zu überwachende Parameter:

Substanzen, deren Grenzwerte der Exposition am Arbeitsplatz zu kontrollieren sind:

Arbeitsplatzgrenzwerte TRGS 900 (v. 25.02.2022):

Identifizierung	Umweltgrenzwerte	
Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1)	MAK (8h)	0,2 mg/m <sup>3</sup>
CAS: 55965-84-9 EC: Nicht zutreffend	MAK (STEL)	0,4 mg/m <sup>3</sup>

### 8.2 Begrenzung und Überwachung der Exposition:

A.- Individuelle Schutzmaßnahmen, zum Beispiel persönliche Schutzausrüstung

Als Vorsichtsmaßnahme wird die Verwendung von grundlegenden individuellen Schutzausrüstungen mit der entsprechenden CE-Markierung empfohlen. Weitere Information bzgl. der individuellen Schutzausrüstungen (Lagerung, Verwendung, Reinigung, Instandhaltung, Schutzklasse ...) finden Sie in der Informationsbroschüre des jeweiligen Herstellers. Die in diesem Punkt enthaltenen Indikationen beziehen sich auf das reine Produkt. Die Schutzmaßnahmen für das verdünnte Produkt können abhängig vom Verdünnungsgrad, der Verwendung, der Anwendungsmethode etc. abweichen. Zur Feststellung der Verpflichtung zur Installation von Notduschen und/oder Augenwaschvorrichtungen in den Lagern sind die jeweils anwendbaren Vorschriften in Bezug auf die Lagerung von chemischen Produkten zu berücksichtigen. Für weitere Informationen siehe Abschnitte 7.1 und 7.2.

B.- Atemschutz.

Die Verwendung von Schutzausrüstung ist im Falle von Nebelbildung bzw. im Falle der Überschreitung der Grenzwerte für professionelle Exposition erforderlich.

C.- Spezifischer Handschutz.

Nicht relevant

D.- Gesichts- und Augenschutz

Nicht relevant

E.- Körperschutz

Nicht relevant

F.- Ergänzende Notfallmaßnahmen

Es müssen keine ergänzenden Notfallmaßnahmen ergriffen werden.

#### Begrenzung und Überwachung der Umweltexposition:

Unter Berücksichtigung der gemeinschaftlichen Gesetzgebung zum Umweltschutz wird empfohlen, den Austritt sowohl des Produkts als auch von dessen Verpackung in die Umwelt zu vermeiden. Weitere Informationen, siehe Abschnitt 7.1.D

## ABSCHNITT 9: PHYSIKALISCHE UND CHEMISCHE EIGENSCHAFTEN

### 9.1 Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften:

\*Entfällt wegen der Art des Produktes, es liegt keine Information über gefährliche Eigenschaften vor.

- FORTSETZUNG AUF DER NÄCHSTEN SEITE -

**ABSCHNITT 9: PHYSIKALISCHE UND CHEMISCHE EIGENSCHAFTEN (fortlaufend)**

Vollständige Informationen finden Sie im Produkt-Datenblatt.

**Physisches Aussehen :**

Aggregatzustand bei 20 °C:	Flüssigkeit
Aussehen:	Flüssigkeit
Farbe:	Farblos
Geruch:	Nicht verfügbar
Geruchsschwelle:	Nicht relevant *

**Flüchtigkeit:**

Siedetemperatur bei atmosphärischem Druck:	114 °C
Dampfdruck bei 20 °C:	2224 Pa
Dampfdruck bei 50 °C:	11724,38 Pa (11,72 kPa)
Verdunstungsrate bei 20 °C:	Nicht relevant *

**Produktkennzeichnung:**

Dichte bei 20 °C:	1073,3 kg/m <sup>3</sup>
Relative Dichte bei 20 °C:	1,073
Dynamische Viskosität bei 20 °C:	Nicht relevant *
Viskositäts-Dichteverhältnis bei 20 °C:	Nicht relevant *
Viskositäts-Dichteverhältnis bei 40 °C:	Nicht relevant *
Konzentration:	Nicht relevant *
pH:	5 - 9
Dampfdichte bei 20 °C:	Nicht relevant *
Verteilungskoeffizient n-Octanol/Wasser bei 20 °C:	Nicht relevant *
Wasserlöslichkeit bei 20 °C:	Nicht relevant *
Löslichkeitseigenschaft:	Nicht relevant *
Zersetzungstemperatur:	Nicht relevant *
Schmelzpunkt/Gefrierpunkt:	Nicht relevant *

**Entflammbarkeit:**

Entflammungstemperatur:	Nicht entflammbar (>60 °C)
Entzündbarkeit (fest, gasförmig):	Nicht relevant *
Selbstentflammungstemperatur:	189 °C
Untere Entflammbarkeitsgrenze:	Nicht relevant *
Obere Entflammbarkeitsgrenze:	Nicht relevant *

**Partikeleigenschaften:**

Medianwert des äquivalenten Durchmessers:	Nicht zutreffend
---	------------------

**9.2 Sonstige Angaben:**

**Angaben über physikalische Gefahrenklassen:**

Explosive Eigenschaften:	Nicht relevant *
Oxidierende Eigenschaften:	Nicht relevant *
Gegenüber Metallen korrosiv wirkende Stoffe und Gemische:	Nicht relevant *
Verbrennungswärme:	Nicht relevant *
Aerosole-Gesamtprozentatz (nach Masse) entzündbarer Bestandteile:	Nicht relevant *

**Sonstige sicherheitstechnische Kenngrößen:**

Oberflächenspannung bei 20 °C:	Nicht relevant *
Brechungsindex:	Nicht relevant *

\*Entfällt wegen der Art des Produktes, es liegt keine Information über gefährliche Eigenschaften vor.

- FORTSETZUNG AUF DER NÄCHSTEN SEITE -

## ABSCHNITT 10: STABILITÄT UND REAKTIVITÄT

### 10.1 Reaktivität:

Keine gefährlichen Reaktionen sind zu erwarten, wenn die folgenden technischen Anweisungen Lagerung von Chemikalien befolgt werden. Siehe Abschnitt 7.

### 10.2 Chemische Stabilität:

Chemisch stabil unter den Bedingungen der Lagerung, Handhabung und Verwendung.

### 10.3 Möglichkeit gefährlicher Reaktionen:

Unter normalen Bedingungen werden keine gefährlichen Reaktionen erwartet.

### 10.4 Zu vermeidende Bedingungen:

Anwendbar für die Handhabung und Lagerung bei Raumtemperatur:

Stoß und Reibung	Berührung mit der Luft	Erwärmung	Sonnenlicht	Feuchtigkeit
Nicht zutreffend	Nicht zutreffend	Nicht zutreffend	Nicht zutreffend	Nicht zutreffend

### 10.5 Unverträgliche Materialien:

Säuren	Wasser	Verbrennungsfördernde Materialien	brennbare Stoffe	Sonstige
Starke Säuren vermeiden	Nicht zutreffend	Direkte Einwirkung vermeiden.	Nicht zutreffend	Vermeiden Sie starke Basen oder Laugen.

### 10.6 Gefährliche Zersetzungsprodukte:

Siehe Abschnitte 10.3, 10.4 und 10.5 hinsichtlich der spezifischen Abbauprodukte. Abhängig von den Abbaubedingungen können beim Abbau komplexe Mischungen chemischer Substanzen freigesetzt werden: Kohlendioxide (CO<sub>2</sub>), Kohlenmonoxide und sonstige organische Verbindungen.

## ABSCHNITT 11: TOXIKOLOGISCHE ANGABEN \*\*

### 11.1 Angaben zu den Gefahrenklassen im Sinne der Verordnung (EG) Nr. 1272/2008:

Es liegen keine experimentellen Daten zu dem Produkt an sich hinsichtlich der toxikologischen Eigenschaften vor.

#### Gefährliche gesundheitliche Auswirkungen:

Die wiederholte, langfristige und in höheren Konzentrationen erfolgende Aussetzung als den durch die Grenzwerte für professionelle Aussetzung festgesetzten Konzentrationen kann abhängig von der Aussetzungsart zu Gesundheitsschäden führen:

A- Einnahme (akute Wirkung):

- Akute Toxizität: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt. Es enthält jedoch Substanzen, die als gefährlich bei Einnahme eingestuft sind. Für weitere Informationen, siehe Abschnitt 3.
- Ätz-/Reizwirkung: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt. Es weist jedoch Substanzen auf, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.

B- Einatmung (akute Wirkung):

- Akute Toxizität: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt. Es enthält jedoch Substanzen, die als gefährlich bei Einatmung eingestuft sind. Für weitere Informationen siehe Abschnitt 3.
- Ätz-/Reizwirkung: Im Fall einer Inhalation über einen längeren Zeitraum ist das Produkt schädlich für die Schleimhäute und die oberen Atemwege.

C- Kontakt mit Haut und Augen (akute Wirkung):

- Kontakt mit der Haut: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt. Es enthält jedoch Substanzen, die als gefährlich bei Berührung mit der Haut eingestuft sind. Weitere Informationen, siehe Abschnitt 3.
- Kontakt mit den Augen: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt. Es weist jedoch Substanzen auf, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.

D- Krebserregende Auswirkungen, Mutationsauswirkungen und schädliche Auswirkungen auf die Fortpflanzung:

\*\* Änderungen unter Berücksichtigung der vorherigen Version

**ABSCHNITT 11: TOXIKOLOGISCHE ANGABEN \*\* (fortlaufend)**

- Karzinogenizität: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen enthält, die aufgrund der beschriebenen Auswirkungen als gefährlich eingestuft sind. Für weitere Informationen, siehe Abschnitt 3.
- IARC: Stoddard Lösungsmittel (3); Kohlenwasserstoffe, C9-C11, n-alkane, iso-alkane, cyclischer, <2% Aromaten (3); Lösungsmittelnaphtha (Erdöl), leicht, aromatisch, < 0.1 % EC 200-753-7 (3)
- Mutagenität: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen aufweist, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.
- Toxizität für Fortpflanzungsorgane: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen aufweist, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.

**E- Sensibilisierungsauswirkungen:**

- Atemwege: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen enthält, die als gefährlich mit sensibilisierenden Auswirkungen eingestuft sind. Für weitere Informationen, siehe Abschnitt 3.
- Haut: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, es enthält jedoch Substanzen, die als gefährlich mit sensibilisierender Wirkung eingestuft sind. Weitere Informationen siehe Abschnitt 3.

**F- Spezifische Zielorgan-Toxizität (STOT)-einmalige Exposition:**

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen aufweist, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.

**G- Spezifische Zielorgan-Toxizität (S TOT)-Exposition wiederholt:**

- Spezifische Zielorgan-Toxizität (S TOT)-Exposition wiederholt: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen aufweist, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.
- Haut: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen aufweist, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.

**H- Aspirationsgefahr:**

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt, da es keine Substanzen aufweist, die hinsichtlich dieser Wirkung als gefährlich eingestuft sind. Weitere Informationen, siehe Abschnitt 3.

**Sonstige Angaben:**

Nicht relevant

**Spezifische toxikologische Information der Substanzen:**

Identifizierung	Akute Toxizität		Gattung
	LD50 oral	LD50 kutan	
2,4,6-Tris(1-phenylethyl) polyoxyethylenierte Phosphate CAS: 90093-37-1 EC: Nicht zutreffend	LD50 oral	>2000 mg/kg	
	LD50 kutan	>2000 mg/kg	
	LC50 Einatmung	Nicht relevant	
1,2-Benzisothiazol-3(2H)-on CAS: 2634-33-5 EC: 220-120-9	LD50 oral	500 mg/kg	Ratte
	LD50 kutan	>2000 mg/kg	
	LC50 Einatmung	>5 mg/L	
Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1) CAS: 55965-84-9 EC: Nicht zutreffend	LD50 oral	64 mg/kg	Ratte
	LD50 kutan	87,12 mg/kg	Kaninchen
	LC50 Einatmung	0,33 mg/L (4 h)	Ratte

**11.2 Angaben über sonstige Gefahren:**

**Endokrinschädliche Eigenschaften**

Das Produkt erfüllt nicht die Kriterien bezüglich seiner endokrin wirkenden Eigenschaften.

**Sonstige Angaben**

Nicht relevant

*\*\* Änderungen unter Berücksichtigung der vorherigen Version*

**ABSCHNITT 12: UMWELTBEZOGENE ANGABEN \*\***

Es liegen keine experimentellen Daten der Mischung an sich hinsichtlich der ökotoxikologischen Eigenschaften vor.  
Enthält Phosphate, übermäßiges Vorhandensein in Abfallprodukten kann zur Eutrophierung führen.

**12.1 Toxizität:**

*\*\* Änderungen unter Berücksichtigung der vorherigen Version*

- FORTSETZUNG AUF DER NÄCHSTEN SEITE -

**ABSCHNITT 12: UMWELTBEZOGENE ANGABEN \*\* (fortlaufend)**

**Akute Toxizität:**

Identifizierung	Konzentration	Art	Gattung
1,2-Benzisothiazol-3(2H)-on CAS: 2634-33-5 EC: 220-120-9	LC50 >0,1 - 1 mg/L (96 h)		Fisch
	EC50 >0,1 - 1 mg/L (48 h)		Krustentier
	EC50 >0,1 - 1 mg/L (72 h)		Alge
Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1) CAS: 55965-84-9 EC: Nicht zutreffend	LC50 >0,1 - 1 mg/L (96 h)		Fisch
	EC50 >0,1 - 1 mg/L (48 h)		Krustentier
	EC50 >0,1 - 1 mg/L (72 h)		Alge

**12.2 Persistenz und Abbaubarkeit:**

**Stoffspezifische Informationen:**

Identifizierung	Abbaubarkeit		Biologische Abbaubarkeit	
1,2-Benzisothiazol-3(2H)-on CAS: 2634-33-5 EC: 220-120-9	BSB5	Nicht relevant	Konzentration	100 mg/L
	CSB	Nicht relevant	Zeitraum	28 Tage
	BSB/CSB	Nicht relevant	% Biologisch abgebaut	0 %

**12.3 Bioakkumulationspotenzial:**

**Stoffspezifische Informationen:**

Identifizierung	Potenzial der biologischen Ansammlung	
1,2-Benzisothiazol-3(2H)-on CAS: 2634-33-5 EC: 220-120-9	FBK	2
	POW Protokoll	1,45
	Potenzial	Niedrig

**12.4 Mobilität im Boden:**

Nicht verfügbar

**12.5 Ergebnisse der PBT- und vPvB-Beurteilung:**

Das Produkt erfüllt nicht die PBT-/ vPvB-Kriterien.

**12.6 Endokrinschädliche Eigenschaften:**

Das Produkt erfüllt nicht die Kriterien bezüglich seiner endokrin wirkenden Eigenschaften.

**12.7 Andere schädliche Wirkungen:**

Nicht beschrieben

\*\* Änderungen unter Berücksichtigung der vorherigen Version

**ABSCHNITT 13: HINWEISE ZUR ENTSORGUNG**

**13.1 Verfahren der Abfallbehandlung:**

Code	Beschreibung	Abfalltyp (Verordnung (EU) Nr. 1357/2014)
08 01 12	Farb- und Lackabfälle mit Ausnahme derjenigen, die unter 08 01 11 fallen	Ungefährlich

**Abfalltyp (Verordnung (EU) Nr. 1357/2014):**

Nicht relevant

**Abfallmanagement (Entsorgung und Verwertung):**

Entsorgung durch den autorisierten Abfallentsorgern hinsichtlich der Verwertungs- und Beseitigungsverfahren gemäß Anhang 1 und Anhang 2 (Richtlinie 2008/98/EG) zuführen. Gemäß den Codes 15 01 (2014/955/EG) ist in dem Fall, dass der Behälter in direktem Kontakt mit dem Produkt war, dieser auf die gleiche Weise wie das Produkt selbst zu behandeln, ansonsten so, als gäbe es keine gefährlichen Rückstände. Nicht in die Kanalisation gelangen lassen. Siehe Abschnitt 6.2.

**Verfügungen hinsichtlich der Abfallentsorgung:**

Gemäß Anhang II der Verordnung (EG) Nr. 1907/2006 (REACH) sind die gemeinschaftlichen oder staatlichen Vorschriften hinsichtlich der Abfallverwertung einzuhalten.

Gemeinschaftliche Gesetzgebung: Richtlinie 2008/98/EG, 2014/955/EG, Verordnung (EU) Nr. 1357/2014

Nationalen Bestimmungen: Gesetz zur Neuordnung des Kreislaufwirtschafts- und Abfallrechts. Vom 24. Februar 2012.

**ABSCHNITT 14: ANGABEN ZUM TRANSPORT**

- FORTSETZUNG AUF DER NÄCHSTEN SEITE -

**ABSCHNITT 14: ANGABEN ZUM TRANSPORT (fortlaufend)**

Dieses Produkt ist nicht für den Verkehr geregelt (ADR/RID,IMDG,IATA)

**ABSCHNITT 15: RECHTSVORSCHRIFTEN \*\***

**15.1 Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch:**

Verordnung (EG) Nr. 528/2012: enthält ein Konservierungsmittel zum Schutz der ursprünglichen Eigenschaften des behandelten Produkts. Enthält 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazolidin-2,4-dion, Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1), 1,2-Benzisothiazol-3(2H)-on.

Substanzen, deren Autorisierung in Verordnung (CE) 1907/2006 (REACH) noch aussteht: Nicht relevant

Substanzen, die in REACH-Anhang XIV (Genehmigungsliste) aufgenommen sind sowie Ablaufdatum: Nicht relevant

Verordnung (EG) 1005/2009 über ozonabbauende Substanzen Nicht relevant

Artikel 95, VERORDNUNG (EU) Nr. 528/2012: 1,2-Benzisothiazol-3(2H)-on (Produktart 2, 6, 9, 11, 12, 13) ; Reaktionsmasse aus 5 -Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1) (Produktart 2, 4, 6, 11, 12, 13)

VERORDNUNG (EU) Nr. 649/2012 über den Export und Import gefährlicher chemischer Substanzen: Nicht relevant

**Seveso III:**

Nicht relevant

**Einschränkungen bzgl. des Vertriebs und der Verwendung von bestimmten Substanzen und gefährlichen Mischungen (Anhang XVII REACH, etc...):**

Die berufliche Exposition von alveolengängigem kristallinem Siliciumdioxid muss gemäß der Richtlinie (EU) 2019/130 kontrolliert werden.

**Besondere Verfügungen hinsichtlich des Personen- und Umweltschutzes:**

Es wird empfohlen, die Angaben in diesem Sicherheitsdatenblatt als Eingabe von Daten in einer Risikobewertung der örtlichen Gegebenheiten gesammelt zu nutzen, um die erforderlichen Maßnahmen zur Verhinderung von Gefahren für die Verwaltung, Verwendung, Lagerung und Entsorgung dieses Produktes zu treffen.

**WGK (Wassergefährdungsklassen):**

1

**LGK - Lagerklasse (TRGS 510):**

10

**Sonstige Gesetzgebungen:**

## ABSCHNITT 15: RECHTSVORSCHRIFTEN \*\* (fortlaufend)

Gesetz zum Schutz vor gefährlichen Stoffen (Chemikaliengesetz - ChemG). Chemikaliengesetz in der Fassung der Bekanntmachung vom 28. August 2013 (BGBl. I S. 3498, 3991), das zuletzt durch Artikel 115 des Gesetzes vom 10. August 2021 (BGBl. I S. 3436) geändert worden ist.

Verordnung über Kosten für Amtshandlungen der Bundesbehörden nach dem Chemikaliengesetz (ChemikalienKostenverordnungChemKostV).

Allgemeine Verwaltungsvorschrift zur Durchführung der Bewertung nach § 12 Abs. 2 Satz 1 des Chemikaliengesetzes (ChemVwV Bewertung) vom 11. September 1997.

Verordnung zum Schutz vor Gefahrstoffen (Gefahrstoffverordnung - GefStoffV) Vom 26. November 2010 (BGBl. I S 1643) geändert durch Artikel 2 des Gesetzes vom 28. Juli 2011 (BGBl. I S 1622), durch Artikel 2 der Verordnung vom 24. April 2013 (BGBl. I S 944) und Artikel 2 der Verordnung vom 15. Juli 2013 (BGBl. I S 2514), durch Artikel 2 der Verordnung vom 03. Februar 2015 (BGBl. I S 49), durch Artikel 1 der Verordnung vom 15. November 2016 (BGBl. I S 2549), durch Artikel 148 des Gesetzes vom 29. März 2017 (BGBl. I S 626) und durch Artikel 2 der Verordnung vom 21. Juli (BGBl. I S 3115)

Verordnung über Verbote und Beschränkungen des Inverkehrbringens und über die Abgabe bestimmter Stoffe, Gemische und Erzeugnisse nach dem Chemikaliengesetz (Chemikalien-Verbotsverordnung ChemVerbotsV). "Chemikalien-Verbotsverordnung vom 20. Januar 2017 (BGBl. I S. 94; 2018 I S. 1389), die zuletzt durch Artikel 300 der Verordnung vom 19. Juni 2020 (BGBl. I S. 1328)

Verordnung über die Mitteilungspflichten nach § 16e des Chemikaliengesetzes zur Vorbeugung und Information bei Vergiftungen (Giftinformationsverordnung - ChemGiftInfoV). Giftinformationsverordnung in der Fassung der Bekanntmachung vom 31. Juli 1996 (BGBl. I S. 1198), die zuletzt durch Artikel 4 des Gesetzes vom 18. Juli 2017 (BGBl. I S. 2774)

Allgemeine Verwaltungsvorschrift zum Verfahren der behördlichen Überwachung der Einhaltung der Grundsätze der Guten Laborpraxis (ChemVwVGLP) vom 15. Mai 1997, geändert durch Art. 1 ÄndVwV vom 16. 11. 2011 (GMBI S. 967)

Verordnung zur Sanktionsbewehrung gemeinschaftsoder unionsrechtlicher Verordnungen auf dem Gebiet der Chemikaliensicherheit (Chemikalien-Sanktionsverordnung - ChemSanktionsV). "Chemikalien Sanktionsverordnung in der Fassung der Bekanntmachung vom 10. Mai 2016 (BGBl. I S. 1175)"

Allgemeine Verwaltungsvorschrift zur Durchführung der Verordnung (EWG) Nr. 793/93 des Rates vom 23. März 1993 zur Bewertung und Kontrolle der Umweltrisiken chemischer Altstoffe (ChemVwVAltstoffe) Vom 11. September 1997, geändert in: Allgemeine Verwaltungsvorschrift zur Aufhebung von Verwaltungsvorschriften zum Chemikalienrecht Vom 21. April 2010.

Verordnung über Stoffe, die die Ozonschicht schädigen (Chemikalien Ozonschichtverordnung ChemOzonSchichtV). Chemikalien-Ozonschichtverordnung in der Fassung der Bekanntmachung vom 15. Februar 2012 (BGBl. I S. 409), die zuletzt durch Artikel 298 der Verordnung vom 19. Juni 2020 (BGBl. I S. 1328)

Gesetz zur Neuordnung des Kreislaufwirtschafts und Abfallrechts. Vom 24. Februar 2012. Zuletzt geändert durch Artikel 15 des Gesetzes vom 27. Juli 2021 (BGBl. I S. 3146)

### 15.2 **Stoffsicherheitsbeurteilung:**

Der Anbieter hat keine Stoffsicherheitsbeurteilung durchgeführt.

\*\* Änderungen unter Berücksichtigung der vorherigen Version

## ABSCHNITT 16: SONSTIGE ANGABEN

### **Auf Sicherheitsdatenblätter anwendbare Gesetzgebung:**

Dieses Sicherheitsdatenblatt wurde gemäß dem ANHANG II-Anleitung zur Erstellung von Sicherheitsdatenblättern der Verordnung (EG) Nr. 1907/2006 entwickelt (VERORDNUNG (EU) 2020/878 DER KOMMISSION)

### **Änderungen gegenüber dem vorhergehenden Sicherheitsdatenblatt, die sich auf Maßnahmen zur Beherrschung des Risikos auswirken.:**

VERORDNUNG (EU) 2020/878 DER KOMMISSION

ZUSAMMENSETZUNG/ANGABEN ZU BESTANDTEILEN (ABSCHNITT 3, ABSCHNITT 11, ABSCHNITT 12):

- Hinzugefügte Stoffe

- 1,2-Benzisothiazol-3(2H)-on (2634-33-5)

- Reaktionsmasse aus 5-Chlor-2- methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1) (55965-84-9)

Verordnung Nr. 1272/2008 (CLP) (ABSCHNITT 2, ABSCHNITT 16):

- Zusätzliche Information

RECHTSVORSCHRIFTEN (ABSCHNITT 15):

- Einschränkungen bzgl. des Vertriebs und der Verwendung von bestimmten Substanzen und gefährlichen Mischungen (Anhang XVII REACH, etc...)

### **Texte der rechtlich behandelten Sätze in Abschnitt 3:**

Die angegebenen Sätze beziehen sich nicht auf das Produkt selbst sondern dienen lediglich Informationszwecken und beziehen sich auf die einzelnen Bestandteile, die in Abschnitt 3 stehen

### **Verordnung Nr. 1272/2008 (CLP):**

**ABSCHNITT 16: SONSTIGE ANGABEN (fortlaufend)**

Acute Tox. 2: H310+H330 - Lebensgefahr bei Hautkontakt oder Einatmen.  
 Acute Tox. 3: H301 - Giftig bei Verschlucken.  
 Acute Tox. 4: H302 - Gesundheitsschädlich bei Verschlucken.  
 Aquatic Acute 1: H400 - Sehr giftig für Wasserorganismen.  
 Aquatic Chronic 1: H410 - Sehr giftig für Wasserorganismen mit langfristiger Wirkung.  
 Eye Dam. 1: H318 - Verursacht schwere Augenschäden.  
 Eye Irrit. 2: H319 - Verursacht schwere Augenreizung.  
 Skin Corr. 1C: H314 - Verursacht schwere Verätzungen der Haut und schwere Augenschäden.  
 Skin Irrit. 2: H315 - Verursacht Hautreizungen.  
 Skin Sens. 1: H317 - Kann allergische Hautreaktionen verursachen.  
 Skin Sens. 1A: H317 - Kann allergische Hautreaktionen verursachen.

**Klassifizierungsverfahren:**

Nicht relevant

**Ratschläge hinsichtlich der Ausbildung:**

Es wird eine Mindestausbildung in Sachen Arbeitsrisikoverhütung für das Personal empfohlen, das dieses Produkt handhaben wird, um das Verständnis und die Auslegung dieses Sicherheitsdatenblattes sowie der Etikettierung des Produkts zu erleichtern.

**Haupt-Literaturquellen:**

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

**Abkürzungen und Akronyme:**

ADR: Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße  
 IMDG: Internationaler SeeschiffahrtsCode für Gefahrgüter  
 IATA: Internationale Vereinigung für Lufttransport  
 ICAO: Internationale ZivilluftfahrtOrganisation  
 COD: chemischer Sauerstoffbedarf  
 BSB5: Biologischer Sauerstoffbedarf in 5 Tagen  
 BCF: Biokonzentrationsfaktor  
 LD50: tödliche Dosis 50  
 LC50: tödliche Konzentration 50  
 EC50: 50 % Effekt-Konzentration  
 LogPOW: Octanol-water-partiticoeffizient  
 Koc: Verteilungskoeffizienten von organischem Kohlenstoff  
 Nicht klass: Nicht klassifiziert  
 UFI: eindeutiger Rezepturidentifikator  
 IARC: Internationale Agentur für Krebsforschung  
 WGK: Wassergefährdungsklasse

Informationsvermerk zur Produktsicherheit gemäß Artikel 32 der Verordnung (EG) 1907/2006 (REACH), dieses Dokument stellt kein Sicherheitsdatenblatt gemäß Artikel 31 der Verordnung (EG) Nr. 1907/2006 dar. Die Erstellung des Sicherheitsdatenblattes ist für dieses Produkt nicht obligatorisch  
 Die in diesem Sicherheitsdatenblatt enthaltene Information basiert auf Quellen, technischen Kenntnissen und auf europäischer und staatlicher Ebene gültiger Gesetzgebung, wobei die Genauigkeit derselben nicht garantiert werden kann. Diese Information kann nicht als Garantie für die Produkteigenschaften angesehen werden. Es handelt sich einfach um eine Beschreibung hinsichtlich der Sicherheitsanforderungen. Wir haben keine Kenntnis von den Arbeitsmethoden und -bedingungen der Anwender dieses Produkts, weshalb letztendlich der Anwender die Verantwortung für die Ergreifung der erforderlichen Maßnahmen zur Anpassung an die gesetzlichen Anforderungen hinsichtlich der Handhabung, Lagerung, Verwendung und Entsorgung von chemischen Produkten trägt. Die Information dieses Sicherheitsdatenblattes bezieht sich ausschließlich auf dieses Produkt, das nicht für andere als die angegebenen Zwecke verwendet werden darf.

FIN DEL DOCUMENTO

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier:** GLOSS GLAZE MEDIUM - MEDIUM VELADURAS BRILLANTE

**Other means of identification:**

Non-applicable

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Relevant uses: Thinner for the application of paints and varnishes

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:**

ACRYLICOS VALLEJO, S.L.  
Pol. Ind. Sant Jordi - C/ Eusebio Millán, 14  
08800 Vilanova i La Geltrú - Barcelona - Spain  
Phone: +34938936012 - Fax: +34938931154  
vallejo@acrylicosvallejo.com  
www.acrylicosvallejo.com

**1.4 Emergency telephone number:** +34 938 936 012 (9:00 - 17:00)

**SECTION 2: HAZARDS IDENTIFICATION \*\***

**2.1 Classification of the substance or mixture:**

**CLP Regulation (EC) No 1272/2008:**

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

**2.2 Label elements:**

**CLP Regulation (EC) No 1272/2008:**

**Hazard statements:**

Non-applicable

**Precautionary statements:**

Non-applicable

**Supplementary information:**

EUH208: Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

**2.3 Other hazards:**

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\***

**3.1 Substance:**


Non-applicable

**3.2 Mixture:**

**Chemical description:** Aqueous mixture composed of additives, aggregates, coalescents and resins

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 2634-33-5 EC: 220-120-9 Index: 613-088-00-6 REACH: 01-2120761540-60-XXXX	<b>1,2-benzisothiazol-3(2H)-one<sup>(1)</sup></b> Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	ATP CLP00  <1 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



## SECTION 5: FIREFIGHTING MEASURES (continued)

### Unsuitable extinguishing media:

Non-applicable

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

#### B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Technical measures for storage

Minimum Temp.: 10 °C

Maximum Temp.: 40 °C

- CONTINUED ON NEXT PAGE -

## SECTION 7: HANDLING AND STORAGE (continued)

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

#### Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Fluid
Colour:	Characteristic
Odour:	Not available
Odour threshold:	Non-applicable *

#### Volatility:

Boiling point at atmospheric pressure:	193 °C
Vapour pressure at 20 °C:	177 Pa
Vapour pressure at 50 °C:	979,74 Pa (0,98 kPa)

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

Evaporation rate at 20 °C: Non-applicable \*

**Product description:**

Density at 20 °C: 1082,7 kg/m<sup>3</sup>

Relative density at 20 °C: 1,083

Dynamic viscosity at 20 °C: Non-applicable \*

Kinematic viscosity at 20 °C: Non-applicable \*

Kinematic viscosity at 40 °C: Non-applicable \*

Concentration: Non-applicable \*

pH: 5 - 9

Vapour density at 20 °C: Non-applicable \*

Partition coefficient n-octanol/water 20 °C: Non-applicable \*

Solubility in water at 20 °C: Non-applicable \*

Solubility properties: Non-applicable \*

Decomposition temperature: Non-applicable \*

Melting point/freezing point: Non-applicable \*

**Flammability:**

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas): Non-applicable \*

Autoignition temperature: 393 °C

Lower flammability limit: Non-applicable \*

Upper flammability limit: Non-applicable \*

**Particle characteristics:**

Median equivalent diameter: Non-applicable

**9.2 Other information:**

**Information with regard to physical hazard classes:**

Explosive properties: Non-applicable \*

Oxidising properties: Non-applicable \*

Corrosive to metals: Non-applicable \*

Heat of combustion: Non-applicable \*

Aerosols-total percentage (by mass) of flammable components: Non-applicable \*

**Other safety characteristics:**

Surface tension at 20 °C: Non-applicable \*

Refraction index: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

- CONTINUED ON NEXT PAGE -

**SECTION 10: STABILITY AND REACTIVITY (continued)**

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

**10.5 Incompatible materials:**

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

**SECTION 11: TOXICOLOGICAL INFORMATION \*\***

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

\*\* Changes with regards to the previous version

**SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)**

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

Identification	Acute toxicity		Genus
	Route	Value	
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	LD50 oral	500 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>5 mg/L	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LD50 oral	64 mg/kg	Rat
	LD50 dermal	87,12 mg/kg	Rabbit
	LC50 inhalation	0,33 mg/L (4 h)	Rat

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

**Other information**

Non-applicable

\*\* Changes with regards to the previous version

**SECTION 12: ECOLOGICAL INFORMATION \*\***

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

**Acute toxicity:**

Identification	Concentration		Species	Genus
	Endpoint	Value		
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	LC50	>0.1 - 1 mg/L (96 h)		Fish
	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LC50	>0.1 - 1 mg/L (96 h)		Fish
	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae

**12.2 Persistence and degradability:**

**Substance-specific information:**

Identification	Degradability		Biodegradability	
	Parameter	Value	Parameter	Value
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	0 %

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

Identification	Bioaccumulation potential	
	Parameter	Value
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	BCF	2
	Pow Log	1.45
	Potential	Low

**12.4 Mobility in soil:**

Not available

**12.5 Results of PBT and vPvB assessment:**

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

**SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)**

Product fails to meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

**12.7 Other adverse effects:**

Not described

*\*\* Changes with regards to the previous version*

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non dangerous

**Type of waste (Regulation (EU) No 1357/2014):**

Non-applicable

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

**SECTION 15: REGULATORY INFORMATION \*\***

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,3-bis (hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Seveso III:**

Non-applicable

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Non-applicable

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

*\*\* Changes with regards to the previous version*

- CONTINUED ON NEXT PAGE -

**SECTION 15: REGULATORY INFORMATION \*\* (continued)**

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

*\*\* Changes with regards to the previous version*

**SECTION 16: OTHER INFORMATION**

**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances

1,2-benzisothiazol-3(2H)-one (2634-33-5)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Supplementary information

REGULATORY INFORMATION (SECTION 15):

- Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....)

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

**Classification procedure:**

Non-applicable

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

- CONTINUED ON NEXT PAGE -

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH); this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product  
The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF DOCUMENT

## GAME COLOR

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** GAME COLOR
- Other means of identification:**  
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Paint for artists  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
ACRYLICOS VALLEJO, S.L.  
Pol. Ind. Sant Jordi - C/ Eusebio Millán, 14  
08800 Vilanova i La Geltrú - Barcelona - Spain  
Phone: +34938936012 - Fax: +34938931154  
vallejo@acrylicosvallejo.com  
www.acrylicosvallejo.com
- 1.4 Emergency telephone number:** +34 938 936 012 (9:00 - 17:00)


### SECTION 2: HAZARDS IDENTIFICATION \*\*

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Hazard statements:**  
Non-applicable  
**Precautionary statements:**  
Non-applicable  
**Supplementary information:**  
EUH208: Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- 2.3 Other hazards:**  
Product fails to meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product fails to meet the criteria.

\*\* Changes with regards to the previous version

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

- 3.1 Substance:**  
Non-applicable
- 3.2 Mixture:**  
**Chemical description:** Aqueous mixture composed of additives, aggregates, coalescents, pigments and resins  
**Components:**  
In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:


Identification	Chemical name/Classification	Concentration
CAS: 2634-33-5 EC: 220-120-9 Index: 613-088-00-6 REACH: 01-2120761540-60-XXXX	<b>1,2-benzisothiazol-3(2H)-one<sup>(1)</sup></b> Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	ATP CLP00  <1 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\* (continued)**

Identification	Chemical name/Classification	Concentration
CAS: 55965-84-9 EC: Non-applicable Index: 613-167-00-5 REACH: Non-applicable	<b>reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<sup>(1)</sup></b> ATP ATP13	<1 %
Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger 	

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

Identification	M-factor	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Acute	100
CAS: 55965-84-9 EC: Non-applicable	Chronic	100

Identification	Specific concentration limit
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0,05: Skin Sens. 1 - H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1C - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,6: Eye Dam. 1 - H318 0,06<= % (w/w) <0,6: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317

\*\* Changes with regards to the previous version

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

- CONTINUED ON NEXT PAGE -

## SECTION 5: FIREFIGHTING MEASURES (continued)

### Unsuitable extinguishing media:

Non-applicable

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

#### B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Technical measures for storage

Minimum Temp.: 10 °C

Maximum Temp.: 40 °C

- CONTINUED ON NEXT PAGE -

## SECTION 7: HANDLING AND STORAGE (continued)

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

#### Appearance:

Physical state at 20 °C: Liquid

Appearance: Fluid

Colour: Characteristic

Odour: Not available

Odour threshold: Non-applicable \*

#### Volatility:

Boiling point at atmospheric pressure: 119 °C

Vapour pressure at 20 °C: 2129 Pa

Vapour pressure at 50 °C: 11220,66 Pa (11,22 kPa)

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

Evaporation rate at 20 °C:	Non-applicable *
<b>Product description:</b>	
Density at 20 °C:	1354,9 kg/m <sup>3</sup>
Relative density at 20 °C:	1,355
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	6 - 8
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
<b>Flammability:</b>	
Flash Point:	Non Flammable (>60 °C)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	235 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
<b>Particle characteristics:</b>	
Median equivalent diameter:	Non-applicable
<b>9.2 Other information:</b>	
<b>Information with regard to physical hazard classes:</b>	
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
<b>Other safety characteristics:</b>	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

- CONTINUED ON NEXT PAGE -

**SECTION 10: STABILITY AND REACTIVITY (continued)**

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

**10.5 Incompatible materials:**

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

**SECTION 11: TOXICOLOGICAL INFORMATION \*\***

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: 2,2'-iminodiethanol (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

\*\* Changes with regards to the previous version

**SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)**

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

Identification	Acute toxicity		Genus
	Route	Value	
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	LD50 oral	500 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>5 mg/L	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LD50 oral	64 mg/kg	Rat
	LD50 dermal	87,12 mg/kg	Rabbit
	LC50 inhalation	0,33 mg/L (4 h)	Rat

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

**Other information**

Non-applicable

\*\* Changes with regards to the previous version

**SECTION 12: ECOLOGICAL INFORMATION \*\***

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

**Acute toxicity:**

Identification	Concentration		Species	Genus
	Value	Duration		
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	LC50	>0.1 - 1 mg/L (96 h)		Fish
	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LC50	>0.1 - 1 mg/L (96 h)		Fish
	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae

**12.2 Persistence and degradability:**

**Substance-specific information:**

Identification	Degradability		Biodegradability	
	Parameter	Value	Parameter	Value
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	0 %

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

Identification	Bioaccumulation potential	
	Parameter	Value
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	BCF	2
	Pow Log	1.45
	Potential	Low

**12.4 Mobility in soil:**

Not available

**12.5 Results of PBT and vPvB assessment:**

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

**SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)**

Product fails to meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

**12.7 Other adverse effects:**

Not described

*\*\* Changes with regards to the previous version*

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non dangerous

**Type of waste (Regulation (EU) No 1357/2014):**

Non-applicable

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl Butylcarbamate, 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione, 2-phenoxyethanol.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Seveso III:**

Non-applicable

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Non-applicable

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

- CONTINUED ON NEXT PAGE -

**SECTION 15: REGULATORY INFORMATION (continued)**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION**

**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances
  - 1,2-benzisothiazol-3(2H)-one (2634-33-5)
  - reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Supplementary information

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

**Classification procedure:**

Non-applicable

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH); this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product  
The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF DOCUMENT